



CLADMART
Premium Cladding Supplies




FLAT COMPOSITE SIDING




FLUTED PANELS




L-TRIM



END TRIM




CORNER TRIM




ALUMINUM CLIP


6 COORDINATED FINISHES




BLACKWOOD



DARK WALNUT




ROSEWOOD



GOLDEN TEAK



CREAMY CEDAR



VINTAGE GREY

PRODUCT SPECIFICATIONS

CladMart Product Specifications

Flat Composite Siding & Fluted Panels

Technical product reference for dimensions, coverage, finishes, accessories, material information, and planning notes.

Document version 0.1 | July 2026

+1 (416) 878-4191

info@cladmart.ca

cladmart.ca

Unit 14, 1 Select Avenue,
Scarborough, ON M1V 5J3

Coordinated Composite Siding System

CladMart offers two coordinated exterior composite siding profiles: Flat Composite Siding and Fluted Panels. Both profiles are available in matching wood-look finishes and are supported by compatible trims and aluminum clips.



Flat Composite Siding Fluted Panels

FEATURE	FLAT COMPOSITE SIDING	FLUTED PANELS
Visual character	Clean, continuous wood-look surface	Dimensional rhythm, shadow, and architectural definition
Length options	12 ft / 16 ft	12 ft / 16 ft
Overall width	6.3 in	7.875 in
Effective coverage width	5.75 in	7.5 in
Thickness / depth	0.75 in	1.0 in
Approx. coverage per piece	5.75 sq ft / 7.67 sq ft	7.5 sq ft / 10 sq ft
Finish options	6 coordinated finishes	6 coordinated finishes
Compatible components	L-Trim (2"x2"), Aluminum Clips	End Trim, Corner Trim, Aluminum Clips



COVERAGE NOTE

Approximate coverage is calculated using the effective coverage width shown in the profile drawings. Coverage values are provided for planning reference and should be confirmed against project conditions.

01

PROFILES

Two coordinated siding profiles



Flat Composite Siding



Fluted Panels


02

FINISHES


Six coordinated wood-look finishes



BLACKWOOD



DARK WALNUT



ROSEWOOD



GOLDEN TEAK



CREAMY CEDAR



VINTAGE GREY


03

COMPONENTS


Compatible trims and fastening components



L-TRIM



END TRIM



CORNER TRIM



ALUMINUM CLIP



SPECIFICATION NOTES

Dimensions, coverage, finishes, and component information are provided for planning and product reference. Confirm project requirements, installation conditions, and current product availability with CladMart before ordering.

Flat Composite Siding


Clean, continuous wood-look siding profile.

Flat Composite Siding is a tongue-and-groove composite profile designed for continuous exterior surfaces with a refined wood-look finish. It can be used on its own or paired with Fluted Panels for a coordinated exterior system.



ITEM	SPECIFICATION
Product name	Flat Composite Siding
Profile type	Tongue-and-groove composite siding
Overall profile width	6.3 in
Effective coverage width	5.75 in
Thickness	0.75 in
Length options	12 ft / 144 in; 16 ft / 192 in
Approx. coverage per 12 ft piece	5.75 sq ft
Approx. coverage per 16 ft piece	7.67 sq ft
Finish options	6 coordinated wood-look finishes
Compatible trim	L-Trim (2" x 2")
Fastening components	Aluminum Clips

PROFILE DIMENSIONS



COVERAGE CALCULATION

Approximate coverage per piece is calculated using effective coverage width:

$$\text{length in feet} \times \text{effective coverage width in inches} \div 12$$

$$12 \text{ ft} \times 5.75 \text{ in} \div 12 = 5.75 \text{ sq ft}$$


$$16 \text{ ft} \times 5.75 \text{ in} \div 12 = 7.67 \text{ sq ft}$$

COMPATIBLE COMPONENTS



L-Trim

Supports clean perimeter edges and selected return details.



Aluminum Clip

Concealed fastening components for secure installation.

TYPICAL APPLICATIONS

- 01 Exterior walls
- 02 Soffits
- 03 Entrances
- 04 Feature areas
- 05 Mixed-profile designs

Fluted Panels


Dimensional rhythm, shadow, and architectural definition.

Fluted Panels are dimensional linear composite profiles designed to create shadow, texture, and visual movement across exterior surfaces. They are available in coordinated wood-look finishes and long-length options for cleaner layouts.



ITEM	SPECIFICATION
Product name	Fluted Panels
Profile type	Dimensional linear composite panel
Overall profile width	7.875 in
Effective coverage width	7.5 in
Thickness / depth	1.0 in
Length options	12 ft / 144 in; 16 ft / 192 in
Approx. coverage per 12 ft piece	7.5 sq ft
Approx. coverage per 16 ft piece	10 sq ft
Finish options	6 coordinated wood-look finishes
Compatible trims	End Trim, Corner Trim
Fastening components	Aluminum Clips

PROFILE DIMENSIONS



COVERAGE CALCULATION


Approximate coverage per piece is calculated using effective coverage width:

$$\text{length in feet} \times \text{effective coverage width in inches} \div 12$$

$$12 \text{ ft} \times 7.5 \text{ in} \div 12 = 7.5 \text{ sq ft}$$


$$16 \text{ ft} \times 7.5 \text{ in} \div 12 = 10 \text{ sq ft}$$

COMPATIBLE COMPONENTS




End Trim

Creates a clean finished edge at panel terminations.



Corner Trim

Supports a refined outside-corner transition.



Aluminum Clip

Concealed fastening components for secure installation.

TYPICAL APPLICATIONS

- 01 Feature walls
- 02 Entrances
- 03 Soffits
- 04 Facade accents
- 05 Full elevations

Six Coordinated Wood-Look Finishes

One finish system across both profiles.

Each finish is available across both Flat Composite Siding and Fluted Panels, allowing profiles to coordinate across one exterior system while creating different levels of depth, texture, and visual rhythm.



Flat Composite Siding



Fluted Panels


Shared finish system across both product profiles.



01 Blackwood

Deep charcoal-black with subtle wood-grain variation.

Available in Flat Composite Siding & Fluted Panels



02 Dark Walnut

A dark brown finish with warm, natural depth.

Available in Flat Composite Siding & Fluted Panels



03 Rosewood

A rich brown-grey tone with a refined contemporary character.

Available in Flat Composite Siding & Fluted Panels



04 Golden Teak

A warm medium wood tone with golden undertones.

Available in Flat Composite Siding & Fluted Panels



05 Creamy Cedar

A light, soft wood finish with a clean natural appearance.

Available in Flat Composite Siding & Fluted Panels



06 Vintage Grey

A cool grey wood tone suited to modern neutral palettes.

Available in Flat Composite Siding & Fluted Panels



FINISH SELECTION NOTES

Finish appearance may vary by profile shape, lighting, screen display, installation direction, surrounding materials, and production batch. Review physical samples in the project environment before making a final selection.

Physical samples are available from CladMart for finish review and project planning.

Coordinated Trims and Clips

Components designed to support cleaner edges, corners, and concealed fastening.

CladMart profiles are supported by compatible trims and aluminum clips that help create cleaner perimeter details, outside-corner transitions, and secure installation across exterior applications.



Flat Composite Siding



Fluted Panels

Trims and clips are profile-specific and designed for a coordinated system.

01 FLAT COMPOSITE SIDING SYSTEM

A component set for flat siding installation with clean edges and concealed fastening.




Flat Composite Siding

Tongue-and-groove siding profile for continuous wood-look surfaces.



L-Trim

Supports clean perimeter edges and selected return details.



Aluminum Clip

Concealed fastening component for secure installation.


02 FLUTED PANEL SYSTEM

A component set for fluted panel installation with defined lines, transitions, and concealed fastening.




Fluted Panels

Dimensional linear profile for depth, shadow, and architectural definition.




End Trim

Creates a clean finished edge at panel terminations.



Corner Trim

Supports a refined outside-corner transition.



Aluminum Clip

Concealed fastening component for secure installation.

COMPONENT PLANNING NOTES

Include compatible trims and clips when preparing material takeoffs. Confirm edge conditions, transitions, substrate, fastening requirements, and installation details with CladMart before ordering.

Plan the edges

Identify terminations, corners, and transitions.

Coordinate quantities

Include trims and clips in the material takeoff.

Follow installation guidance

Refer to the CladMart Installation Guide for fastening, spacing, substrate, and installation requirements.

Built Beyond the Surface

Co-extruded construction with a refined wood-look finish.

CladMart composite siding combines a durable composite core with a protective co-extruded surface. Together, these layers support exterior performance while creating a refined wood-look finish with depth and texture.

Protective
Co-Extruded Surface

Composite
Structural Core



01

A Protective Outer Surface

A protective surface layer is formed with the composite core during manufacturing. This outer layer helps reduce moisture absorption and supports resistance to everyday exterior wear.

Protective Co-Extruded Surface

Composite Structural Core



02

3D Embossed Wood-Look Texture

The surface is embossed with a deeper wood-grain pattern to create more natural visual variation and tactile depth. The texture adds character while helping the material maintain a refined appearance over time.



3D Embossed Texture
CladMart surface



Standard Embossed Texture
Standard composite surface

01

Low Maintenance

Designed for easier routine care than natural wood.

02

Moisture Resistant

Composite construction and a protected surface help limit water absorption.

03

Fade & Stain Resistance

Designed to retain its appearance when installed and maintained correctly.

04

Exterior Durability

Made for long-term exterior applications and changing weather conditions.



Performance, maintenance, and warranty requirements should be reviewed with CladMart before project specification or ordering.

Plan With Coverage, Components, and Samples

Use the product specifications as a planning reference before ordering.

Product dimensions, coverage values, finish options, and compatible components should be reviewed together when preparing material takeoffs. Confirm project conditions, installation requirements, and current product availability with CladMart before placing an order.

01 Coverage Planning



$$\text{length in feet} \times \text{effective coverage width in inches} \div 12$$

= approximate sq ft per piece

Flat Composite Siding

Length	Effective Coverage Width	Approx. Coverage
12 ft	5.75 in	5.75 sq ft
16 ft	5.75 in	7.67 sq ft

Fluted Panels

Length	Effective Coverage Width	Approx. Coverage
12 ft	7.5 in	7.5 sq ft
16 ft	7.5 in	10 sq ft



Coverage values are approximate and intended for planning reference. Allow for project layout, cuts, waste, transitions, and installation conditions.

02 Material Takeoff Checklist



Product Selection

- Flat Composite Siding or Fluted Panels
- Selected finish
- 12 ft or 16 ft lengths
- Approximate coverage required

System Components

- L-Trim, End Trim, or Corner Trim
- Aluminum Clips
- Edge conditions
- Corners and transitions
- Soffit or overhead areas, if applicable

03 Before Ordering

Review Samples

Confirm finish appearance in the project environment.

Confirm Layout

Review orientation, length selection, joint locations, and visible transitions.

Include Components

Add trims and clips to the material takeoff, not only siding boards.

Check Requirements

Confirm substrate, fastening, spacing, and installation details before ordering.



PROJECT SUPPORT

For project pricing, product guidance, and material coordination, send drawings, elevations, measurements, preferred profile, finish selections, and estimated quantities to CladMart.



cladmart.ca



info@cladmart.ca



+1 (416) 878-4191

Use the Right Document for the Next Step

Product specifications should be reviewed alongside installation, maintenance, and warranty information.

This Product Specifications document provides dimensions, coverage values, finish options, compatible components, material information, and planning notes. For complete project review, refer to the related CladMart documents before installation or ordering.

01

Product Brochure



Overview of CladMart profiles, finishes, applications, system benefits, samples, and project support.

Best for early product review and selection.

02

Installation Guide



Installation requirements for fastening, spacing, substrate, layout, expansion gaps, trims, clips, and project conditions.

Best before installation or site planning.

03

Maintenance Guide



Care, cleaning, routine maintenance, and surface-protection guidance for long-term product appearance.

Best after product selection and installation.

04

Warranty



Warranty coverage, limitations, exclusions, claim requirements, and customer responsibilities.

Best before purchase and for warranty review.



NEED PRODUCT OR PROJECT SUPPORT?

Contact CladMart for product guidance, sample requests, current availability, project pricing, and document support.

 cladmart.ca
 info@cladmart.ca
 +1 (416) 878-4191
 Unit 14, 1 Select Avenue,
Scarborough, ON M1V 5J3



Product information may be updated from time to time. Confirm current product details with CladMart before final specification, ordering, or installation.